



h	d1 metric / UNC / UNF			da	dc	h1	h2	h3	h4 Stroke	t
45	M 5 10 × 24	M 6 10 × 32	— 1/4 × 20	10	13	24,5	4	35	3,5	9
63	M 6 1/4 × 20	M 8 5/16 × 18	—	13,5	17,5	31	6,5	45	4	11
78	M 8 3/8 × 16	M 10 5/16 × 18	—	16	21	36	8	55	4	14
92	M 10 3/8 × 18	M 12 1/2 × 13	—	19	24	43	11	65	4	17
108	M 12	M 16	—	23	30	50,5	12	76	5	22

**Specification**

 Handle  
Zinc die casting

 Plastic coated  
Standard colours

 black **SW** RAL 9005 textured finish

 black **SZ** RAL 9011 silk finish

 orange **OR** RAL 2004 

 red **RT** RAL 3000 

 silver **SB** RAL 9006 

 chrome-plated **CR**

 uncoated **RH**

 Internal parts  
Stainless Steel  
German Material No. 1.4305

 Stainless Steel  
characteristics

**Information**

Adjustable hand levers GN 300.1 (photo page 203) are the result of modern industrial design incorporating a particularly handy shape in addition to ergonomic aspects.

All such levers have proved to be ideal whenever parts have to be clamped in a confined space or in a particular lever position. The centre insert is connected to the lever via serrations which can easily be disengaged.

Pulling the lever, disengages the serrations and allowing it to be swivelled to the ideal clamping position. On releasing the lever the serrations automatically re-engage.

Should a rotation of the lever through 360 degrees be impossible, the insert can easily be rotated by the hexagon in the screw (after disengaging the lever).

*Adjustable hand levers GN 300  
(internal parts steel, blackened)*

**How to order**

**Adjustable hand lever  
with Stainless Steel-  
Insert  
GN 300,1-92-M12-OR**

Code No.	h	d1	Finish